Table of Contents

EXECUTIVE SUMMARY i

I. INTRODUCTION I-1
Transit-Oriented Development I-1
Plan Purpose and Process I-2
Recent City Efforts I-2
Key Planning Considerations I-3
A Vision for Downtown Harvey I-3
Study Area Boundary and Vicinity I-4
Organization of the Plan I-6

II. PLANNING CONTEXT AND OPPORTUNITIES II-1
Existing Conditions II-1
Public Transit Facilities and Services II-5
Access, Circulation and Parking II-7
Market-Based Redevelopment Potential II-8
Planning Opportunities II-10

III. FRAMEWORK PLANS AND RECOMMENDATIONS III-1
Future Land Use Framework III-1
Future Circulation and Streetscape Framework III-4
Urban Design III-7
Design Guidelines III-8
Streetscape and Other Public Improvements III-14
Redevelopment Opportunities III-21

IV. IMPLEMENTATION IV-1
Enhancement of Administrative and Institutional Support Structure IV-1
Project Priorities IV-5
High Priority Action Items IV-7
Ong 4 3 (7) 3 3 4 4 ( )

Acknowledgements

The *Station Area Plan* for the City of Harvey, Illinois, was prepared through the efforts of the City of

EXECUTIVE SUMMARY

The City of Harvey has planned a multi-faceted revitalization effort for its Downtown area, to transform the area into a prosperous and vibrant hub of economic and civic activity serving the South Suburbs. A key component to restoring Downtown Harvey as a bustling and pedestrian friendly center of community life is a strong vision and local commitment to a comprehensive implementation program. To help identify and prioritize the opportunities to reach its goals, the City of Harvey developed this Station Area Plan to guide future public and private improvements in Downtown Harvey. The City engaged in an open, community-oriented planning process, with a focus on building upon and enhancing the existing public transit assets within the Downtown, utilizing the planning principles of Transit-Oriented Development.

Transit-Oriented Development (TOD) is a planning concept rooted in maintaining (or newly creating) the traditional elements of mixed-use areas that developed historically around public transit. A successful TOD includes a vibrant mix of commercial, public and residential uses at varying densities developed around transit stations, providing easy access and a variety of needed goods and services for nearby residents and commuters alike. Keeping development compact and in close proximity allows the area to be easily used by pedestrians, and thus becomes walkable. Downtown Harvey already maintains a traditional public transportation infrastructure and pedestrian oriented street pattern. The Station Area Plan seeks to reinvigorate investments in both private development and public improvements to restore the vitality of this traditional community center.

Urban Design Principle 2:
Balance new development with open spaces and attractive public rights-of-way and facilities.

Attractive public facilities and gateway elements help to establish a strong community identity for the Downtown. Within a vibrant mixed use Downtown, public spaces and facilities should be well integrated into the overall area. Redevelopment efforts in Downtown Harvey should initially focus around a major new public open space, and smaller neighborhood oriented open spaces should also be accommodated as redevelopment occurs.

The basic Principles of the Station Area Plan are communicated through a Future Land Use Framework, a Future Circulation and Streetscape Framework, Design Guidelines and Redevelopment Concepts that provide specific guidance for redevelopment and enhancement efforts at key sites in the Downtown. The Station Area Plan concludes with a detailed strategy for Implementation.

IMPLEMENTATION

The Vision for Downtown Harvey, as embodied in the Framework Plans and Redevelopment Concepts, will be realized through the implementation of a wide variety of inter-related actions over several years. Key to the success of these efforts will be enhancement of the administrative and institutional support structure needed to both attract public and private

6. Align **zoning and development regulations** with Plan recommendations to facilitate transit-supportive and appropriately scaled and designed redevelopment.
7. Generate stronger institutional support, such as through the creation of a non-profit **community development corporation (CDC)**, or a partnership with an established CDC.
8. Encourage appearance improvements to existing commercial and institutional properties in the Downtown area by establishing a **Facade Improvement Program** offering low-interest financing to property and business owners, in cooperation with a local financial institution.
9. Establish a

Phase Three Projects

1. Undertake **streetscape enhancements** along Park and Broadway Avenues between 153rd and 155th Streets. Create **on-street bicycle lanes** leading into the Downtown and to the Metra Station, and provide ample **bicycle parking** at transit facilities, the Downtown plaza and public facilities.
2. **Viaducts under the CN/IC Railroad** should be upgraded with new paint and improved lighting, pending discussions with the CN/IC. Public art installation should also be considered.
3. Implement **signage, lighting and landscaping improvements** at existing public facilities, with citizen and business involvement and support.
4. Pursue the creation of a **police substation and/or City services facility** in a centralized Downtown location, occupying the ground floor of a conveniently located building.
5. **Additional townhouses** should be developed extending west from Lexington Avenue, on contiguous block faces. Over time, this development pattern could extend west to Page Avenue. Continue to provide **neighborhood-oriented green spaces** in conjunction with these townhouse developments.

Phase Four Projects

1. Install **embankment screening treatments** along Park Avenue between 155th and 159th Streets within the existing Park Avenue right-of-way, and without impacting the existing retaining wall structure.
2. Implement **streetscape enhancements** at additional Downtown streets as described in the Design Guidelines.
3. Install **secondary Downtown gateway treatments** at 154th Street and Wood Avenue, and at 159th and Park Avenue, with citizen and business involvement and support.
4. Pursue the development of **one or more condominium projects** after initial successes in commercial and townhouse development are achieved. These early projects will prime the market for a greater diversity of housing types in later years.

SUSTAINED COMMITMENT

The City of Harvey is poised to begin the vitally important process of re-establishing the Downtown as the civic and commercial heart of the community. The Station Area Plan provides the vision, policy guidance and implementation direction needed by the City and its partners to capitalize on positive regional development trends, existing transit services, established civic activity nodes in the Downtown area. Yet, realization of the Vision will require a sustained focus on Plan implementation. Without this focus, activities to date will have little lasting effect. Thus, the City should annually review and evaluate progress in Plan implementation and adjust priorities and resources to account for unforeseen needs in the implementation of the Plan.

I. INTRODUCTION

The City of Harvey was for many decades a center of industrial activity in the southern suburbs, and its Downtown was a premier regional shopping and entertainment destination. However,

center of the City. Section A of the Appendix contains more background information on TOD, for general reference.

PLAN PURPOSE AND PROCESS

The *Vision* below summarizes the guiding elements utilized by the Working Group and consulting team as planning recommendations and implementation strategies were developed, building upon recent City initiatives and based upon significant community input.

Over the next ten to twenty years, the Downtown will again become the true center of the City of Harvey, and a source of community pride for all residents. Building upon existing public transit assets, and benefiting from improvements to regional roadway access, the Downtown will provide a cohesive and positive identity for the City.

The Downtown will offer an attractive, well-maintained and secure environment for shopping and other activities. Pedestrian-friendly streetscape treatments along tree-lined streets will make walking and bicycling to and through the Downtown an enjoyable experience for all ages. Gateway features will announce arrival to the Downtown, and encourage newcomers to visit.

An integrated mix of uses will create a vibrant atmosphere. Rehabilitated commercial buildings, and new structures designed to enhance the traditional character of the Downtown, will house a variety of high quality businesses that meet the shopping and service needs of City residents, commuters and visitors. Civic facilities and adjacent open spaces, including a new plaza in the heart of Downtown, will provide attractive venues for community events.

Varied housing types both in and surrounding the Downtown will provide new housing options for residents and additional support for local businesses. Adjacent single family neighborhoods will be attractive and stable environments in which to raise families.

Metra and Pace facilities will be well integrated into the Downtown, with commuters patronizing local businesses. Shared parking facilities will provide commuter parking on weekdays, and be available for local restaurants and civic facilities on evenings and weekends.

STUDY AREA BOUNDARY AND VICINITY

The study area boundary for the Station Area Plan is highlighted on *Figure 1: Vicinity Map* on the following page, and on each figure in this document and the accompanying Appendix. The study area generally encompasses: 1) the area within one-half (1/2) mile of the main entrance to the Harvey Metra Station, located at the corner of Park Avenue and 154th Street, and 2) properties fronting on 154th Street extending west to the Ingalls Hospital campus at Wood Street.

Planning recommendations do not directly impact all properties within this area; the-6(d)B-6(m)-srTJ0.0564



FIGURE 1
VICINITY MAP

Harvey Station Area Plan
City of Harvey, Illinois / Regional Transportation Authority

- Neighboring Communities, Posen, Markham and Hazel Crest to the west; Dixmoor, Riverdale and Dolton to the north; Phoenix and South Holland to the east; and East Hazel Crest and Thornton to the south.
- Expressway routes: I-294 (Tri-State Tollway) and I-57 to the west, I-80 / I-294 to the south, and I-94 (Bishop Ford Freeway) to the east.
- A Cook County Forest Preserve District facility, Kickapoo Meadows located north of Harvey, between I-57 and Halsted Street.

ORGANIZATION OF THE PLAN

This Plan is based upon the Vision for Downtown Harvey and is organized around six Planning Principles that apply the concepts of Transit-Oriented Development (TOD) to Downtown Harvey. These Planning Principles address Land Use, Access and Circulation, and Urban Design. Under each principle, a series of Planning Strategies are organized, to guide the efforts of the City. A second set of Principles, relevant to redevelopment decisions in the vicinity of the 147th Street Metra Station, is provided in Section B of the Appendix.

The basic Principles of the Plan are communicated through a Future Land Use Framework, a Future Circulation and Streetscape Framework, Design Guidelines and Redevelopment Concepts that provide specific guidance for redevelopment and enhancement efforts at key sites in the Downtown. The Plan concludes with a detailed strategy for Implementation.

LEGEND

- Residential-MF
- Residential-SFD
- Commercial Retail
- Commercial-Restaurant/ Food
- Commercial-Service/Office
- Mixed-Commercial/Office
- Mixed-Commercial/Residential
- Industrial-Heavy
- Industrial-Light
- Municipal
- Public
- Quasi-Public
- Open Space
- Parks/Recreation
- Transit Facilities
- Utility
- Vacant Building
- Vacant Lot

FIGURE 2

EXISTING LAND USE

Harvey Station Area Plan

City of Harvey, Illinois
Regional Transportation Authority

November 2005

HNTB

Study Area Physical Conditions

The following key site and building conditions within the study area should be noted:

- Occupied structures within the study area are generally in good condition. Several are in need of facade improvements and/or improved ongoing maintenance, such as tuckpointing. Within residential neighborhoods surrounding the Downtown, vacant lots and structures often are in poor condition, with boarded windows and overgrown lawns.
- In general, public streets and rights-of-way are in a functional, but worn, condition. In addition to the targeted streetscape enhancement priorities to be developed as part of the Plan, an ongoing effort to maintain and upgrade roadway paving, curbs, gutters and sidewalks will be important.
- Within the Downtown area, piecemeal streetsc

Key Planning Considerations

Key planning considerations with regard to land use and physical conditions include:

- Long-term vacancies are a destabilizing influence on City neighborhoods, and contribute to the perception that the Downtown is a risky location for new development or additional business activity. The City administration is taking action to gain control of and secure as many vacant properties as possible; the foreclosure process will still result in lengthy

LEGEND

Harvey Station Area Plan

City of Harvey, Illinois
Regional Transportation Authority

November 2005

HNTB

Key Planning Considerations

Key planning considerations with regard to public transit include:

- The Harvey Metra Station is not currently easily accessible by walking commuters; planning recommendations need to develop potential mechanisms to encourage walking ridership.
- Existing Metra and Pace commuter parking lots are not fully utilized, and the large parking lot east of the railroad embankment does not generate traffic patterns that are conducive to commuter support of Downtown businesses. Pace riders, while significant in number, are also not being effectively captured as potential patrons of Downtown businesses.
- Metra has requested that an additional 100 commuter parking spaces be accommodated within the Plan, ideally west of the railroad embankment. This long-term projection takes into account expected increases in ridership through 2030. Sharing parking with other uses should be investigated. The existing daily fee Pace parking lot could also potentially provide commuter parking for Metra riders, if an agreement between the agencies is developed.
- The Pace Transportation Center provides a potential location for future Greyhound long-distance bus service.
- There are limited "last mile" transit options available currently to employees of Harvey businesses and institutions who could potentially utilize public transit to "reverse commute" to work in Harvey.

ACCESS, CIRCULATION AND PARKING

Figure 4: Existing Access and Circulation Network also highlights several key aspects of the existing roadway network and parking facilities within the study area. Section D of the Appendix contains a summary of the observations of se9r.-ed a

Table 1:
DOWNTOWN HARVEY REDEVELOPMENT POTENTIAL

Potential Development Type and Location	Quantity (Units or Square Feet)	Comments
Townhouses on 154th Street west of Downtown	10-15 units per year	Near and medium term. Favorable financing & homeowner counseling important.
Condominiums Downtown	20-30 units	Medium term (in 3-5 years).
Retail and Restaurants		

Harvey Station Area Plan

City of Harvey, Illinois
Regional Transportation Authority

III. FRAMEWORK PLANS AND RECOMMENDATIONS

Harvey Station Area Plan

City of Harvey, Illinois
Regional Transportation Authority

HNTB

2. Encourage new and varied business types that will meet the needs of residents, seniors, commuters and the employees of local businesses. High priorities for the community include restaurants, a full-service pharmacy and medical services. Other TOD-appropriate uses include coffee and snack shops, dry cleaners and day care facilities.
3. Consider relocating existing businesses that could benefit from a commuter-oriented Downtown environment. Some of these existing businesses may now be located along auto-oriented corridors where they cannot benefit from commuter visibility or the synergies of a location near other related businesses.
4. Seek a new Downtown anchor use, such as a government office, higher education/training facility, museum or other cultural venue. This facility should also be integrated into the Downtown Mixed Use area, and will augment the planned Thornton Township Museum in the Old City Hall.
5. Provide attractive civic facilities and public spaces to encourage people to spend time in the Downtown. High priorities for the community include the planned renovation bublCID 4 nov use, sucha1th T

particularly along 154th Street. A design concept for townhouse development with integrated green space along 1554th Street is depicted in *Figure 13* to follow.

4. Maintain, enhance and improve existing areas of multi-family residential surrounding the Downtown, as indicated in *Figure 6*.
5. Maintain, enhance and improve existing single family neighborhoods at the perimeter of the Downtown, as indicated in *Figure 6*.

FUTURE CIRCULATION AND STREETSCAPE FRAMEWORK

Downtown Harvey is depicted in *Figure 7: Future Circulation and Streetscape Framework* as it will appear after implementation of the key Planning Strategies as described below. These Planning Strategies build directly upon two Access and Circulation Planning Principles. The Principles advocate improving access to and within the Downtown and improving inter-modal connections. Inter-modal connections are a key feature of successful TODs, and maintaining automobile access is also key to providing visibility and a potential customer base to area businesses.

LEGEND

Railroadl94.411 nq98.99893 0 0 -12352.67725 99 -13 re96.897 612.01081a 1744.83 609.11603 .99957 -1046.6c99893 GEND

FIGURE 7

FUTURE CIRCULATION AND STREETSCAPE FRAMEWORK

Harvey Station Area Plan

City of Harvey, Illinois
Regional Transportation Authority

November 2005

HNTB

6. Provide limited off-street shopper parking without breaking up the street wall where shopper parking demands cannot be accommodated on-street.
7. Improve wayfinding throughout the Downtown, including directory signage to assist in accessing public transit, available parking areas and local businesses. Wayfinding signage should be coordinated visually with gateway features, as depicted in *Figure 7*.
8. Investigate the feasibility of shuttle services between the Downtown and area employers, to more effectively serve the nearly 1,000 employees of Ingalls Hospital and nearly 8,000 employees of nearby industrial businesses.
9. Investigate the feasibility of providing access to Greyhound bus service at the Pace Transportation Center.

URBAN DESIGN

The Design Guidelines and Redevelopment Concepts included within this Chapter are based upon two Urban Design Principles, which are supplemented with related Planning Strategies. Consistent application of these Planning Strategies, as embodied in the Design Guidelines and Redevelopment Concepts that follow, will facilitate the revitalization of Downtown Harvey in keeping with the community's future vision. They address both private sector redevelopment and public sector improvement initiatives.

URBAN DESIGN PRINCIPLE 1:
Establish and enforce appropriate design guidelines for private development.

Improvements to privately owned properties should be undertaken within a coordinated set of expectations for design quality and character. Existing buildings should be enhanced, and appropriately designed infill developments undertaken, to reinforce the Downtown as a visually consistent and traditional walkable environment.

1. Facilitate high quality new construction on key Downtown infill sites, designed to reinforce the traditional character of the Downtown with a minimum height of two stories. The Redevelopment Concept depicted in *Figure 11* to follow addresses this strategy in particular.
2. Preserve and restore existing mixed use buildings in the Downtown, in particular those that hold the corner of 154th Street and Center Avenue. The Redevelopment Concept depicted in *Figure 12* to follow provides guidance for implementing this strategy.
3. Encourage appropriate facade improvements and appropriate site improvements at private properties, including parking lots, landscaping and site signage, as described in the Design Guidelines.

URBAN DESIGN PRINCIPLE 2:
Balance new development with open spaces and attractive public rights-of-way and facilities.

Attractive public facilities and gateway elements help to establish a strong community identity

1. Expand and improve public open spaces and facilities in the Downtown with improved landscaping, lighting, signage and public art displays, in particular creating a centrally located venue for community events as depicted in

Urban Form and Development Pattern

The Future Land Use Framework (depicted in *Figure 6*) illustrates several guiding principles for the overall urban form and development pattern of the Downtown area. These principles are supported by the more specific guidelines which follow.

The Future Land Use Framework designates an extensive Downtown Mixed Use area. This core area is immediately adjacent to the Metra and Pace commuter facilities, and encompasses the historic center of the Downtown area, west of the railroad viaduct. It is surrounded by a perimeter of multi-family residential uses. Establishing an inter-related and vibrant mix of land uses in this area is important to re-establishing the character of the Downtown.

Land Use Relationships

1. Keep viable structures that are already in place, in particular buildings which exceed one story in height. They establish a strong street edge, and serve as key building blocks for re-establishing a walkable Downtown.
2. Establish a unique and high quality design image and identity at the key intersection of 154th Street and Park Avenue, to establish a positive first impression.
3. Focus on visually coordinated and contiguous, rather than piecemeal, redevelopment efforts, especially in areas of residential redevelopment.
4. Maintain the regular street grid, except where limited street closures or other traffic calming measures can result in improvements to pedestrian access and safety and/or the reduction of unnecessary public rights-of-way.
5. Consolidate and minimize curb cuts throughout the Downtown, to reduce vehicle-pedestrian conflicts, maximize on-street parking capacity and reduce visual disruption of the streetscape.
6. Develop an inviting pedestrian environment for Metra and Pace commuter facilities, as well as other public and private facilities throughout the Downtown.
7. Incorporate urban plazas, open spaces and focal points in the development of the Downtown, in highly visible and accessible locations. Provide for a major open space for community gatherings and special events.

Land Use Mix

1. The Downtown Mixed Use area should support a cohesive mix of commercial and office uses, upper-story residential uses, civic and institutional uses, and public open spaces.
2. Commercial and mixed-use buildings should occupy the most visible and accessible locations in the Downtown.
3. Civic and institutional buildings should occupy high profile locations within the Downtown, and should be designed as landmarks of quality design and materials. Their location should be framed by the design of surrounding structures and related improvements.
4. Single family attached dwellings (rowhouses, townhouses) and mid-rise condominiums are most appropriate residential uses within a one-quarter mile radius of the Metra Station. Along key streets within the mixed use core of the Downtown, condominium units should be developed in mixed-use buildings with ground-floor retail, where feasible.
5. To the extent feasible, multi-family residential development at the perimeter of the Downtown core should be contiguous, ideally transforming entire block faces with new housing.

Architectural Design

This section of the Guidelines addresses various aspects of building design, in particular as buildings relate to their surroundings. In general, any new construction or renovation of an existing building should reflect the traditional nature of the Downtown in overall design and siting. Contemporary buildings should respect the historic character of their context.

Siting and Orientation

1. Commercial and mixed use structures should be built up to the right-of-way to create a pedestrian oriented street wall within the Downtown Mixed Use area.
2. Single family attached dwellings should incorporate shallow but defined front yards

4. The overall mass and bulk of multi-family residential buildings should be broken down with varied roof profiles, changes in material, and applied elements such as entrance canopies and balconies.

Varied rooflines and bay windows break down the overall mass of this row of townhouses.

Materials and Detailing

1. At existing commercial buildings, original materials and detailing should be maintained, or replaced during renovations.
2. Masonry, stone, painted metal and other traditional exterior materials are most appropriate within the context of the Downtown for all development types.
3. Avoid concrete block, precast concrete, glass curtain walls, plastic and other non-traditional materials.
4. Buildings of all types should include finished surfaces on all sides. The utilitarian brick side and rear facades of existing commercial buildings, however, should be cleaned, repaired and left unpainted.
5. Commercial storefronts should be located along the street wall and have large windows for merchandise display, encouraging a window shopping atmosphere.
6. New and replacement windows and doors should reflect the traditional types found on older commercial structures in the Downtown in scale, proportion and construction. Horizontal or vertical strip windows, tinted or reflective glass, and glass block should not be used in the Downtown, nor should existing window openings be bricked in.
7. Upper-floor windows in new commercial construction should typically be individual openings in solid wall planes, reflecting the traditional proportions of window openings found on existing multiple-story buildings in the Downtown.

A variety of exterior materials and applied elements contribute to the traditional character of this newer mixed use building.

Architectural Elements

General

1. Applied elements (such as stone accent bands, balconies and awnings) can break down the scale of larger buildings and provide visual interest.
2. Applied elements, lighting and signage should coordinate with and complement the overall architectural style and color scheme of the building.
3. Mechanical equipment and utility meters, etc. should be screened from view, and located either at the rear of the building or unobtrusively on the roof.
4. Security grilles should be fully retractable and as inconspicuous as possible.

Awnings and Building Signage

1. Awnings and signage should coordinate with the scale and color scheme of the building and neighboring buildings, and should not cover architectural details.
2. Simple, pitched awning profiles are most appropriate. Box awnings (enclosed from below), arched or rounded awnings, and internally illuminated awnings are not appropriate in the Downtown.
3. Weather-treated fabric awnings are recommended; shiny, reflective finished and garish colors are not appropriate in the Downtown.
4. Signage should generally be located in the sign band between first floor and second floor windows. Signage should not project above the cornice line or be mounted on the roof.

Simple, pitched awning profiles and signage within a sign band above the first floor windows are most appropriate in a traditional Downtown setting.

5. Plaque signs, projecting shingle signs, and signage applied to awnings or storefront glass are most appropriate. Box signs, whether flat or projecting, are not appropriate in the Downtown. Neon signs should be small and subdued in nature.
6. Back-lit individual letters and signs illuminated by wall-mounted fixtures are most appropriate. Internally illuminated box signs, and signs with flashing or moving text/parts are strongly discouraged.

Building Lighting

1. Exterior lighting should serve only to illuminate entries, signage, adjacent pedestrian areas and displays, or to highlight significant architectural elements above the first floor.
2. Traditional light fixtures and/or appropriately scaled contemporary light fixtures should be used. Fixture color should be muted, and should coordinate with the overall facade and signage color scheme.
3. Security lighting should be concealed from view.

Site Improvements

This section of the Guidelines addresses various aspects of site design, in particular off-street parking lots, addressing how properties should relate to their surroundings. In general, any new construction or site upgrades should reflect the traditional nature of the Downtown in overall design and siting.

Parking and Access

1. Off-street parking should be consolidated and shared within blocks to minimize curb cuts, and concealed from view but with visible access points.
2. At off-street parking lots, whether public or private, the following amenities should be provided:
    a. A perimeter planting buffer at least four feet in width when adjacent to public rights-of-way, landscaped with low shrubs and groundcover.
    b. A low decorative metal fence within the planting buffer for visual variety and protection.
    c. Curbed planting islands within parking areas, landscaped with shade trees and low groundcover.
3. Wherever possible, parking for multi-family residential uses should be provided within the primary structure; in enclosed garages at townhouses and within the ground floor of condominium buildings.

A decorative metal fence and low plantings create an effective street edge and visual buffer at Downtown off-street parking areas.

4. Civic and institutional buildings should provide generous and clearly marked entry walks, and seating areas near building entrances and drop-off/pick-up locations.
5. Walkways, seating areas, and stairwells and elevator towers at parking structures should be well lit and transparent to public view to ensure safety.
6. At restaurants, defined areas for outdoor dining should be provided (possibly to include using the public sidewalk where space permits).

Site Signage

1. At civic and institutional buildings, low monument signage that is integrated with the building design should be provided, located within a landscaped planting bed.
2. Pole-mounted signage is not appropriate anywhere in the Downtown area. Commercial businesses should rely upon building-mounted signage.
3. Clear directional signage and adequate lighting for wayfinding and security should be provided at all parking and walking areas.

Landscaping

1. Attractive landscaping, including shade trees, ornamental trees, shrubs and colorful perennial plantings should be provided throughout the Downtown area. At commercial buildings, smaller scale plantings should be provided in planter boxes or pots to highlight building entrances. At civic, institutional and residential buildings, landscaped areas should be incorporated into the overall site design.
2. Low landscaping at building foundations should be provided to soften the appearance of civic, institutional and multi-family buildings.

Small scale planter boxes at storefronts can soften the appearance of commercial buildings and highlight building entrances, and are effective in areas where narrow sidewalks limit other landscaping alternatives.

STREETSCAPE AND OTHER PUBLIC IMPROVEMENTS

This section addresses the appropriate design treatment of the public realm, including street rights-of-way and on-street parking areas, open spaces and gateways, embankments and viaducts. The implementation and ongoing maintenance of high quality public improvements is an essential element of ensuring a pleasant and inviting pedestrian environment. Two levels of streetscape improvement (in locations as depicted previously in Figure 7) are

decorative paving material used as sidewalk accents.

5. On-street parallel parking should be provided wherever feasible. Including on-street parking reinforces the pedestrian character of the area, and functions as a traffic calming feature.
6. Street lights should combine both a full height fixture and a lower level pedestrian-height fixture at arterial streets. At collector and local streets, a pedestrian-height fixture is sufficient. Street lights should incorporate mounting brackets for banners, flags, and/or flower baskets.
7. Street trees should be aligned with the street and spaced one every 25 to 30 feet. Trees should be protected within a wrought iron tree grate.
8. Provide pedestrian amenities, including benches and waste receptacles, throughout the Downtown, and in particular at Pace bus stops.
9. Provide weather shelters at selected Pace bus stop locations outside the Pace

IV. IMPLEMENTATION

The Vision for Downtown Harvey, as embodied in the Framework Plans and Redevelopment Concepts, will be realized through the implementation of a wide variety of inter-related actions over several years. The implementation strategy consists of three basic elements:

1. Enhancement of the **administrative and institutional support structure** needed to both attract public and private investment and manage redevelopment in the City's interest;

2. **Prioritization of projects** with respect to their feasibility and their potential to attract and leverage subsequent improvements; and

3. Identification of specific **action items** for the highest priority projects.

Many important initiatives identified in the City's 2005 Strategic Plan are underway and are already having positive impacts on Harvey. New businesses are frequently opening, and existing businesses are making new investments. Current City initiatives, along with the recommended actions outlined below, will serve to further prime the market for reinvestment

Resource Team

Establishing a Resource Team will be a very important mechanism to help focus community leadership and resources on directing public and private redevelopment to Downtown Harvey.

- Illinois Development Finance Authority (IDFA)
- Illinois Housing Development Authority (IHDA)
- Illinois Historic Preservation Agency (IHPA)
- The Canadian National Railroad (CN)

Administrative Actions

The City should immediately undertake several tasks to set the stage for successful implementation of the Plan.

1. Establish a **Development Commission** to proactively undertake implementation of both TOD and COD initiatives, including the issuance of RFPs, review of major project proposals for compliance with City priorities, and offering guidance to the City Council on decisions regarding developer selection and the commitment of City resources and incentives. The Development Commission will represent the City's interests in the development process, and aid in public outreach and education on Plan implementation. The Commission will serve in an advisory capacity to the City Council, and should be comprised of key elected and

PROJECT PRIORITIES

The purpose of establishing project priorities is to maximize the impact of actions that are feasible in the near term, and also to lay the groundwork for later actions that can build upon early successes. High priority projects in the first phase, in particular, will require the City of Harvey to act as a direct catalyst, in order to jump-start redevelopment activity. This will build momentum for later phases of Plan implementation. Priority projects reflect recommendations made throughout the Station Area Plan, but are included again and prioritized here as a focus of t7d Plan.

3. Implement **signage, lighting and landscaping improvements** at existing public facilities, with citizen and business involvement and support.

4. Pursue the creation of a **police substation and/or City services facility** in a centralized Downtown location, occupying the ground floor of a conveniently located building.

5. **Additional townhouses**

Other Key Administrative Actions

1. In order to be prepared for redevelopment, the City should focus on streamlining its development process and updating its development regulations to direct change in support of the Plan. For the Plan to be successful, investment must occur under regulatory tools which have been fine tuned to support the physical design recommendations of the Plan
2. Designating or hiring additional qualified professional staff is an essential action to create capacity to administer a sophisticated planning and redevelopment process.

Downtown Redevelopment Finance and Incentive Tools

1. The Development Commission will examine the range of alternatives for redevelopment finance incentives and tools, and provide recommendations to the City Council. The potential use of Tax Increment Financing should be considered in the evaluation.
2. The City Council should consider the recommendations of the Development Commission, and authorize actions to implement tools deemed appropriate for Downtown Harvey.
3. *Ideally, this step should be concluded prior to initiating any development activity within the Downtown*

or a joint use agreement will be needed to create a visually and functionally coordinated open space amenity in the heart of the Downtown.

2. Targeted funding should be solicited through various sources, potentially including philanthropic private donations, to kick off this first phase of Downtown open space and aesthetic improvements.
3. More detailed designs for the plaza area, a significant Downtown gateway feature and adjacent streetscape upgrades should be prepared. The design palette established for this area will form the basis for future streetscape upgrades at other Downtown streets over the course of several years, so long term cost, maintenance and material availability considerations will need to be addressed during this initial design phase.
4. The impact of removing existing municipal parking on the site will need to be addressed through accommodation of additional on-street parking on adjacent streets. The Redevelopment Concepts in the previous chapter provide guidance with regard to increasing on-street parking capacity along Broadway Avenue in the blocks immediately north and south of 154th Street; these parking improvements will need to be undertaken in conjunction with the plaza project to maintain appropriate parking levels in the commercial core of the Downtown.

ONGOING INITIATIVES

Many of the initiatives described below are already underway within the City. However, it bears repeating that a consistent and committed effort to keep these existing initiatives at the forefront in the City, along with spearheading new initiatives as needed, is a critical element of establishing a development-friendly environment within the City, allowing the City to achieve its Vision for Downtown Harvey.

Genees.00101 1.016584 Tw 10.98 0 0 10.98 72.00101 37uth of 154

FUNDING SOURCES

Potential funding sources for the implementation of Plan initiatives can be considered as falling into three general categories: resources from within the City, federal and state resources, and private resources. While programs and funding availability at the state and

local property taxes that results from a redevelopment project in order to pay for the public costs involved in the project. Harvey has adopted TIF Districts in several areas of the City, but there are currently no TIF Districts within the Downtown area.

- Business Improvement District (BID)- Business Improvement Districts (BIDs) are authorized by Division 74.3 of the Municipal Code of the State of Illinois. A community may designate an area as a BID after a public hearing. The benefits of a BID could include: 1) providing the ability to control and dispose of property; 2) securing financing for improvements; and 3) monitoring and reviewing development and redevelopment proposals. In carrying out business dist

Federal and State Resources

Grants and loans can be secured from a variety of federal and state sources to aid in both public sector enhancement projects and to reduce certain private sector development costs. In some cases, public agencies can secure and administer these resources on the City's behalf for use in local projects. In other cases, the City can secure funds and administer them independently or in conjunction with a public agency. Annual funding cycles are used to allocate federal funds, often to state and regional agencies who then review applications for

most cases, grants are not available to assist in financing the replacement of existing commuter parking spaces or other improvements that were originally federally funded, should they be displaced for redevelopment purposes.

Surface Transportation Program (STP)- These funds are allocated to coordinating regional councils to be used for all roadway and roadway related items. Projects in this funding category must have a local sponsor and are selected based, among other factors, on a ranking scale that takes into account the regional benefits provided by the project among other factors. STP funds are allocated among the following programs: demonstration projects; enhancement; hazard elimination; and urban funds.

- Operation Greenlight and Access to Transit- Currently, FY2004 is the last year of funding for the Operation Greenlight and Access to Transit program. However, there is some expectation that this program may continue, although with possible changes in the program structure. The status of the programs will need to be verified. Funds are currently allocated to any project that is related to transit. Two types of funds are available: general grants and Access to Transit funds. General grants are for any transit project including station projects, commuter parking lots, and pedestrian bridges and tunnels in a station area. Access to Transit funds are available for any project that allows direct access to the station area, including sidewalks and access roads. This program is federally funded and implemented through the Illinois Department of Transportation. In most cases, grants are not available to assist in financing the replacement of existing commuter parking spaces or other improvements that were originally federally funded, ltgrants red grants arsi

have funding for these types of improvements. The City would also need to discuss these proposed improvements with Metra.

- The proposed improvements to the Park Avenue right-of-way and existing commuter parking along the road would need to be discussed with Metra and IDOT. The City will also need to consider potential maintena

CONCLUSION

Table of Contents

A.	**TRANSIT ORIENTED DEVELOPMENT PRINCIPLES AND PRECEDENTS**	**A-1**
	TOD Principles	A-1
	TOD Precedents	A-2
B.	**PRINCIPLES AND STRATEGIES FOR THE 147TH STREET METRA STATION AREA**	**A-4**
C.	**COMMUNITY INPUT**	**A-9**
	Key Person Interviews Summary	A-9
	Image Preference Survey Findings	A-13
	SWOT Analysis Summary	A-15
	Community Workshop Guiding Principles	A-16
D.	**EXISTING PLANNING CONTEXT**	**A-17**
	Existing Land Use	A-17
	Development Controls Overview	A-19
	Economic Development Tools	A-22
	Public Transit Facilities and Services	A-24
	Traffic Conditions	A-27
E.	**DEMOGRAPHICS AND MARKET POTENTIAL**	**A-33**
	Demographics	A-33
	Retail Development Potential	A-33
	Office Development Potential	A-34
	Residential Development Potential	A-34
F.	**PRELIMINARY COST ESTIMATES FOR PROPOSED PUBLIC IMPROVEMENTS**	**A-36**

List of Figures

A-1.	Existing Zoning	A-20
A-2.	Existing TIF Districts	A-23

List of Tables

A-1.	Harvey Station Boardings/Alightings by the Time of Day and Direction (Fall 2002)	A-24
A-2.	Mode of Access (Fall 2002 Origin-Destination Survey)	A-25
A-3.	Composite Weekday Bus Passenger Activity in Downtown Harvey (June 2005)	A-27
A-4.	Accident Data, 159th Street (US Rte. 6), Loomis Avenue to Halsted Street, 2001-2003	A-29
A-5.	2005 AM and PM Peak Hour Traffic Volumes, 159th Street (at Halsted Street and Park Avenue)	A-30

A. TRANSIT ORIENTED DEVELOPMENT PLANNING PRINCIPLES AND PRECEDENTS

It is worthwhile to provide a brief discussion of the key principles of Transit Oriented Development (TOD) as a framework for planning. These principles provide the overall focus and direction for planning recommendations and implementation strategies in the Plan that are specific to the existing conditions and unique opportunities in Downtown Harvey. Several visual images of representative TOD environments are also included, for general reference.

TOD PRINCIPLES

The general principles of TOD can be described succinctly within three broad categories, or the "Three D's," of Transit Oriented Development: Design, Diversity and Density. TOD areas are generally considered to be within a ten-minute walk or one-half (1/2) mile of a public transit facility, with the most dense uses concentrated within a five-minute walk or one-quarter (1/4) mile. One-half mile is considered an acceptable walking distance for most people, and therefore encompasses the area in which the physical planning advantages of TOD can be best utilized.

Design

- Inter-modal connections and amenities should be considered and accommodated, to facilitate the use of all modes of transportation, and transfers from one mode to another. Visibility of, and ease of access to, public transit are important.
- Preference for pedestrians and bicyclists should be considered in the design of roadways, sidewalks and other pathways throughout a TOD area. While automobile and bus access is important, the comfort and safety of pedestrians is paramount.
- Shared commuter parking facilities (utilized by other users during off-peak hours) and reduced off-street parking for shoppers and residents should be incorporated. Local residents will often not require as many vehicles per household because of the availability of public transit, and commuters provide additional support for retailers.

Diversity

- Mixed uses and varied housing types are important aspects of a TOD area. Integrating retail, commercial, office and residential uses in close proximity to transit and one another provides a synergy between uses, reduces vehicle trips generated within the area, and allows for compact development. Mixed uses can occur within individual buildings and/or within the area overall.
- Public facilities and spaces should be integrated into the TOD area, so that it is truly a community-wide activity center, expanding beyond retail and commercial service functions.
- Development in the TOD area must be market-driven, serving more than just commuters. Local resident needs are also important. Commuters alone will not sustain the desired retail and commercial services in the area.

Density

- Higher density uses are appropriate closest to transit facilities, where their impact on single family residential neighborhoods can be minimized and their reduced off-street parking needs can be effectively incorporated into site design. Higher density uses could include some or all of the following: mixed use buildings containing residential or office uses above ground floor commercial; office buildings; or multi-family residential structures, such as condominiums or townhomes. Building heights for these uses in a Downtown setting will

typically vary from two to five stories, with additional height possible based upon market conditions and the scale of the Downtown area overall.

-

Below: Examples of an open space integrated into a Downtown area and a parking lot screened from view with landscaping and fencing.

B. PRINCIPLES AND STRATEGIES FOR THE 147TH STREET METRA STATION AREA

The 147th Street Metra Station on the Metra Electric District Line is located approximately one mile north-northeast of the Harvey Metra Station. It is accessed from the north side of the 147th Street / Sibley Boulevard viaduct under the Metra Electric Line and CN/IC Railroad embankment. 147th Street / Sibley Boulevard provides direct access to an interchange with I-57 approximately two miles to the west. Halsted Street intersects with 147th Street approximately one-quarter mile to the west.

147th Street / Sibley Boulevard is a state highway, designated as Illinois Route 83. Average daily traffic (ADT) counts from IDOT in 2004 for 147th Street east of Halsted Street indicate a traffic volume of 33,400 vehicles per day passing the 147th Street Metra Station, and 2,000 trucks per day on the same stretch of roadway. By comparison, 159th Street (east of Halsted Street) experiences fewer vehicles per day (24,200) but more truck traffic (3,000).

West of the railroad embankment, existing land uses along 147th Street consist primarily of small auto-oriented commercial uses on shallow lots (approximately 125 feet in depth). Intersections with local north-south streets are off-set, and are not signalized. To the east, there are only two intersections between the embankment and the Little Calumet River one-half mile to the east. These north-south streets extend south from 147th Street. Deep parcels that extend back to the Little Calumet River lie on the north side of 147th Street; a Metra commuter parking lot is located immediately adjacent to the embankment. The south side of the street is dominated by the vacant 27-acre ARCO industrial facility, extending from the embankment east to Wallace Street.

Weekday ridership counts conducted by Metra in the Fall of 2002 indicated 1,349 weekday boardings at the 147th Street Station. By comparison, there were 1,125 weekday boardings at the Harvey Metra Station. There are a total of 1,301 commuter parking spaces available at the 147th Street Station, including 1,180 regular and 24 handicapped accessible spaces in the large lot accessed from 147th Street east of the embankment, and 97 regular spaces in a smaller lot located at the southwest corner of 146th Street and Clinton Street, one block west of the

4. Ensure that sidewalks and defined pedestrian pathways are incorporated into the master plan for the ARCO property, to facilitate use of transit facilities and nearby commercial businesses by residents.
5. Integrate plazas and seating areas of varying scales at the ARCO property to provide relaxation opportunities for shoppers, residents and visitors. These public areas should be strategically positioned, highly visible and of a high quality design that is coordinated with 147th Street streetscape improvements.

ACCESS AND CIRCULATION PRINCIPLE 1:

Balance the needs of vehicles and pedestrians to ensure both safe local access and convenient regional access to the 147th Street Metra Station area.

1. Maintain the traditional street grid that allows easy access to 147th Street for local residents. Consider limited street closures at side streets where traffic safety can be improved without impeding pedestrian access.
2. As street upgrades are undertaken, coordinate intersection spacing and signalization to facilitate both pedestrian crossing and effective vehicle movement. In all improvement areas, ensure adequate clearance for Pace buses and emergency vehicles.
3. Consolidate and minimize curb cuts along 147th Street, to reduce vehicle-pedestrian conflicts, improve traffic flow and reduce visual disruption of the streetscape. Access to most parking lots should be provided from side streets.
4. Service, loading and trash collection areas sh

URBAN DESIGN PRINCIPLE 1:

Establish and enforce appropriate design guidelines for redevelopment in the 147th Street Metra Station area, to ensure a consistent and high quality image overall.

1. Facilitate high quality new construction on infill sites, and encourage appropriate facade improvements at existing buildings to remain. The following guidelines should be enforced:
   - The mass and bulk of buildings should be broken down with vertical divisions and/or changes in exterior materials.
   - Parapet wall construction is most appropriate for commercial structures (walls extending upward to conceal a flat roof), to reflect traditional commercial buildings.
   - Access points to buildings should be easily identifiable and visible from the street.
   - Protected entrances are desirable at street level doorways, for weather protection.
   - Masonry, stone, painted metal and other traditional exterior materials are preferred materials within the 147th Street Metra Station area for all development types.
   - Avoid concrete block, precast concrete, glass curtain walls, plastic and other non-traditional materials that could compromise the high quality environment desired by the City.
   - Applied elements, lighting and signage can provide visual interest, and should coordinate with and complement the overall architectural style and color scheme of the building.
   - Mechanical equipment and utility meters, etc. should be screened from view, and located either at the rear of building or unobtrusively on the roof.
2. Undertake appropriate site improvements at all private properties, including parking lot, landscaping and site signage upgrades. The following guidelines should be enforced:
   - At off-street parking lots, provide and maintain a curbed perimeter planting buffer at least four feet in width when adjacent to public rights-of-way or residential properties, landscaped with low shrubs and groundcover.
   - Provide curbed planting islands within larger parking areas, landscaped with shade trees and low groundcover.
   - Low landscaping in planting beds at building foundations should be provided to soften their appearance.
   - At restaurants, defined areas for outdoor dining should be provided.
   - Low monument signage that is integrated with the building design should be provided, located within a landscaped planting bed. To the extent feasible, multiple businesses should use one sign to minimize visual clutter.
   - Pole-mounted signage is not desirable anywhere in the 147th Street Metra Station area. Commercial businesses should rely upon building-mounted signage to identify storefronts in multi-tenant buildings.

URBAN DESIGN PRINCIPLE 2:

- Attractive landscaping, including low shrubs and colorful perennial plantings should be installed at key intersections and near the 147th Street Metra Station, pending discussions with Metra.
- Provide coordinated pedestrian amenities, including benches and waste receptacles, near intersections and at bus stops.
- Provide secure bike parking facilities near the 147th Street Metra Station, pending discussions with Metra.

2. Street lights along 147th Street should combine both a full height fixture and a lower level pedestrian-height fixture.
3. Street trees should be aligned with the street and spaced one every 30 to 40 feet. Trees should be protected within a wrought iron tree grate, or a planted parkway where space permits.
4.

C. COMMUNITY INPUT

Early in the planning process, several venues were provided to collect input from community representatives regarding issues, concerns and preferences for Downtown revitalization. They included the following:

- Key Person Interviews, conducted by HNTB and Valerie Kretchmer Associates on February 14 and 16, 2005.
- An Image Preference Survey conducted by Farr Associates at a community workshop on February 23, 2005.
- A SWOT (Strengths, Weaknesses, Opportunities and Threats) Analysis conducted by Farr Associates at a community workshop on February 23, 2005.

- Lovely old homes
- Area around 150th and Paulina was beautiful
- Illinois Bell's main office was here
- Major employers: steel mills (Bliss and others), foundry, Maremont Corp (400+ employees), auto components, Whiting Corp (railroad equipment), bed company
- Plenty of employment opportunities that were easy to access
- More Metra and bus activity, large office building on east end of 154th (moved to

- Active senior population at the YMCA; many drive but there is also a van service, can walk to Public Library
- Beautification efforts along 154th Street (100 Women, Phyllis Smallwood)
- Concerned City administration
- Gloria's is a good place for carry-out food

Weaknesses and Challenges

- Dixie Square Mall drew businesses out of the downtown
- Area needs to be better maintained (Homewood is a good model)
- Downtown looks run-down, old, dirty
- A lot of nice buildings have been lost
- Too many storefront churches
- A lot of properties still to be cleaned up yet; potential buyers will look across the street
- The overall context is key; what is next door?
- Roadway layout is a dead end at the railroad viaduct
- Riff raff hanging around are a de-stabilizing influence
- Visible drug and prostitution activity
- Not a lot of pride in homes and neighborhoods
- Irresponsible and absentee landlords
- Some Section 8 rental tenants cause problems
- High tax rates are the biggest issue; taxes double in Harvey vs. Chicago
- Difficult for local residents / business owners

- Create an employer assisted housing program (City and major employers)
- Provide housing for first-time buyers; some being built along Park between 153rd and 155th
- Provide housing for families: yard space, large rooms, brick construction
- There is a lot of rehab potential with the existing housing stock; the really substandard housing is mostly gone now
- Vacant lots create uncertainty for lenders; City should be land banking and selling properties off in groups
- Affordable rental properties that are well maintained are needed
- There are too many rental properties now; many are not well maintained
- Existing housing is older and diverse; City demolishing unstable structures; permits for improvements increasing; being aggressive with landlords (new ordinance)
- King's Gate subdivision- accessible to highways, good price, gated area seems secure, hoping for revitalization of Dixie Square Mall property
- Dearborn Park a possible model (gated community that brought the South Loop up)
- Township Aid office (Page/154th) turns off potential investors
- Public Library would like to expand; serves several hundred patrons per day
- Thornton Township Museum will be in the old City Hall building (154

- Ned arn adultday d/r rfdedal x Deavelp ua cnexpotcntser o eervesthe osuth en Pubdurb

Other Comments

- Don't just build up the Downtown; also build up 159th between Markham and South Holland
- City should work with local businesses and non-profits to improve resident employment
- Message from City is to have pride in the City and your home
- Crime has decreased, security and homeowner insurance rates have improved
- Need training for residents, expanded from POET program (for skilled trades, journeymen, etc.)
- Drastic change in the last 18 months- snowball effect of aggressive code enforcement, accountability
- 1st Ward is stable and owner occupied; 5th Ward has a high rate of rental units
- There is an active block club on Broadway between 151st and 152nd Streets
- 4th of July parade is a major event, ends at Gloria Taylor Park
- Take it step by step; in many communities the retail comes before the area is seen as a desirable location for residential development
- Some housing counseling is available through CEDA; expand their efforts to work with tenants, landlords and homeowners
- Use Harvey vendors whenever possible to support local businesses
- Establish partnerships to link seniors and youth

IMAGE PREFERENCE SURVEY FINDINGS

The following reflect general characteristics considered desirable or undesirable by the community, based upon the Image Preference Survey findings compiled by Farr Associates. The desirable characteristics described here were incorporated into the Design Guidelines in the Station Area Plan.

First Impressions

Positive:

- Pace Transportation Center
- Metra Station
- Mixed use buildings (two to three stories) with traditional masonry construction and corner features (turrets, towers)
- Landscaping in the public right-of-way
- Significant gateway signage (masonry construction) with landscaping
- Public art (of high quality, must be maintained)

Negative:

- Railroad embankment with exposed overhead utility lines
- Railroad viaducts
- Modest gateway signage without landscaping
- Barren width of Park and Broadway Avenues

Building Facade

Positive:
- Colorful, coordinated awnings
- Plaque and shingle signage above first floor windows
- Varied rooflines
- Varied window types: bay windows, arched windows
- Traditional open storefronts (glass doors and large windows) and upper story windows
- Tidy, well maintained buildings (bright awnings, flower pots, weed control)

Negative:
- Cluttered signage (too much, different types on one building)
- Lack of signage (difficulty identifying the business)
- Bricked in window openings, or no windows at all
- Solid wood and metal entry doors
- Modern architectural styles, if not respectful of traditional neighboring buildings
- Inadequate building maintenance (faded signs and awnings, weeds, lack of landscaping)

Negative:

- Single family detached housing in the Downtown area
- Single story homes
- Plain, boxy buildings (lack of architectu

- People need to become more active in local government to fight apathy. (4)
- Infrastructure and buildings need to be maintained to keep up a positive image of Harvey. (3)
- Not enough signs/wayfinding for stores and other destinations so that people know what can be found in downtown Harvey and where. (2)
- Major roads bypass downtown Harvey, giving little reason to drive through the downtown area to see what is there. (1)

Opportunities

- Harvey has a lot of vacant land that is available for future development. There is a lot of room to grow. (11)
- Old City Hall could house local memorabilia and become a destination to attract visitors. (4)
- There are 10+ professional athletes that are from Harvey originally, and there is an opportunity to open a local Hall of Fame as an attraction in Harvey. (1)
- Land available near businesses/industrial could be donated for social service needs, such as shelters or job training. (1)
- Politicians in the South Suburban region are already working together, and have good resources available to them. (0)
- People have a desire to be involved in community activities, or in their ward. (0)

Threats

- Funding (state and federal) was cut for schools, which can snowball into larger problems, such as drop-outs, drugs, etc. (5)
- Too many boarded up buildings leave poor first impression on people considering moving to or back to Harvey. (5)
- A state of depression and lost hope is a threat to the future of Harvey. (3)
- Education system is good right now, but it is in transition and at risk. (2)
- Lack of opportunities (jobs for teens and adults, training) can lead to gangs, violence, drugs. (2)

COMMUNITY WORKSHOP GUIDING PRINCIPLES

A visioning session was held during the community workshop held on March 23, 2005. Farr Associates facilitated the meeting. This is a summary of general principles that were reflected in the preliminary vision plans prepared by small groups at the workshop.

- New development should be concentrated near the Metra station, and should be mixed-use. Efforts should be concentrated on 154th Street.
- 154th Street and Park Avenue need streetsc

D. EXISTING PLANNING CONTEXT

Summaries of existing land uses, existing zoning and development regulations, economic development tools, transit facilities and services, and traffic conditions are presented below.

Streets and contains large volumes of debris. A third site, south of the Metra commuter parking lot between 156th and 157th Streets adjacent to the railroad embankment, is vacant land covered with concrete rubble that has been used as a concrete crushing and recycling facility.

- Industrial-Light: This land use category includes light manufacturing and distribution, and automotive parts businesses. There is a large light industrial area east of the Metra Electric Line, bordered by Halsted, Commercial, 152nd, and the CN/IC Railroad. Some of the properties include 7-Up/Dr. Pepper distribution, Marmon Trucks, and L & L Auto Parts, which are in fair to good condition. There are some light industrial properties west of the Metra Electric Line and south of 147th Street, such as those along Park Avenue across from the Metra Station, that are in poor to fair condition.
- Municipal: This category includes municipal buildings and services, such as City Hall and the Park District – both of which are located on Broadway north of 154th Street.
- Public: This land use category includes public buildings and services that may serve a regional population, such as the U.S. Post Office and the Harvey Public Library – both of which are located on 155th Street within two blocks of the Harvey Metra Station. Another major public use is Thornton Township High School at 150th and Broadway.
- Quasi-Public: This land use category includes uses that are private or non-profit facilities that serve the general public, such as the Harvey YMCA and Ingalls Memorial Hospital. This category also includes the numerous churches located west of the Downtown.
- Open Space: This category includes passive open spaces that are not designed to facilitate sports activities. There is one open space site adjacent to City Hall to the north, and a couple of sites adjacent to Thornton Township High School.
- Parks/Recreation: This category includes active parks and recreational facilities. There are ball fields at Lexington Park at 151st and Lexington Streets, and ball fields adjacent to Thornton Township High School.
- Transit Facilities: Land uses include the Harvey Metra Station, the Pace Transportation Center and off-street commuter parking lots.
- Utility: Land uses in this category include a ComEd facility at 158th and West Streets and an SBC facility at 153rd and Main Streets.
- Vacant Building: This category includes all vacant buildings within the study area, regardless of their former use. There is one large vacant industrial building at 155th and Commercial Streets east of the Metra Electric Line, as well as numerous smaller vacant buildings scattered throughout the study area. Vacant buildings include both commercial and residential structure-7(t)1(ion, the Pace Transp Tw 00.404013ET.37<MC0 Tc 0 Tw 10.98 0 0 10.98 71.9

DEVELOPMENT CONTROLS OVERVIEW

The 1/2 mile study area incorporates nine zoning districts – including residential, commercial, industrial, and institutional – as summarized below. These districts are depicted in *Figure A-1: Existing Zoning* on the following page.

R-1 Single Dwelling Unit Residential District

- Primary intent is for low density, detached single-family homes
- Minimum lot size is 6,250 square feet, and minimum lot width is 50 feet
- Maximum lot coverage is 35%
- Maximum height is 35 feet or 2.5 stories
-

DB Downtown Business District

- District functions as the urban center for retail, financial, professional, governmental and cultural activities
- Primary intent is for businesses that promote public convenience, increase pedestrian access, and alleviate traffic congestion
- Permitted uses include many retail, financial, and professional uses, as well as those uses in the NC District
- Minimum lot size is 2,200 square feet
- Maximum lot coverage is 90%
- No height restrictions
- Special uses may include auto service stations, churches, government facilities, liquor stores and taverns, planned unit developments, and pool halls

HC Highway Commercial District

- Primary intent is for businesses that cater to motor vehicle trade
- Permitted uses include auto parts, auto repair, car washes, motor vehicle sales, and drive-in restaurants, as well as many uses in the DB District
- Minimum lot size is 5,000 square feet
- Maximum lot coverage is 50%
- Maximum height is 45 feet or 3 stories
- Special uses may include auto service stations, churches, government facilities, liquor stores and taverns, planned unit developments, and pool halls

LM Light Manufacturing District

- Primary intent is for light manufacturing, assembling, finishing, wholesaling, warehousing, and storage; serves as a transition to heavy manufacturing district
- Permitted uses are numerous light manufacturing uses
- Minimum lot size is 7,500 square feet
- Maximum lot coverage is 50%
- No height restrictions
- Special uses may include adult businesses, auto service stations, government facilities, animal kennels, and planned unit developments

HM Heavy Manufacturing District

- Primary intent is for manufacturing, assembling, fabricating, and warehousing; industries have to meet standards for noise, odor, smoke, and other hazards
- Permitted uses are numerous heavy manufacturing uses
- Minimum lot size is 10,000 square feet
- Maximum lot coverage is 75%
- Maximum height is 60 feet
- Special uses may include government facilities, hazardous substance industries, junk yards, and planned unit developments



NOTE:
The entire City is a state-designated Enterprise Zone (in conjunction with Phoenix and Hazel Crest).

Legend

- TIF Districts (approximate boundary)
- Harvey City Limits
- Study Area Boundary
- Major Roads
- Railroads

0 0.23 0.46 0.92
Miles Miles

FIGURE A-2
EXISTING TIF DISTRICTS

PUBLIC TRANSIT FACILITIES AND SERVICES

Downtown Harvey is served by the Metra Electric District Line, via the Harvey Metra Station located just east of Park Avenue between 154th and 155th Streets, and by eight Pace bus routes, via the Harvey Transportation Center located just west of Park Avenue between 153rd and 154th Streets. Pace's Harvey Transportation Center provides a key transfer point for all eight Pace bus routes, which serve a large portion of the south suburban region. Thornton Township also provides a dial-a-ride on-demand shuttle service. A second Metra station is located north of the Downtown at 147th Street, and is served by one Pace bus route.

Metra Electric District Line Commuter Rail Service

- Metra's Electric District Line terminates in downtown Chicago at the Randolph / South Water Street Station. The Main Line travels south to the University Park Metra Station, with branches at Stony Island and State Street that terminate at the 93rd Street Metra Station in South Chicago and the Blue Island Metra Station, respectively.
- The Harvey Metra Station is approximately 20 miles from the Chicago terminus. Travel time from Harvey to downtown Chicago averages 37 minutes. During certain times of the day, the train may have flag stops at stations other than the Harvey and 147th Street Stations to discharge or pick up passengers. Travel time for trains that make all stops on the main line between Randolph / South Water Street Station and Harvey Station can exceed 50 minutes.
- The main entrance to the Harvey Metra Station is located at 154th Street and Park Avenue, through a recently constructed station structure containing ticket vending machines and a vendor lease space (leased by a taxi-cab service). A secondary entrance is located under the viaduct at 155th Street. Access from these two entrances is provided to a center boarding platform on the raised railroad embankment. Concrete sidewalks adjacent to the

embankment (east side of tracks) is owned and maintained by the Canadian National (CN) Railroad.

- The City of Harvey owns and maintains the 839-space parking lot on the east side of the railroad tracks between 155th and 156th Streets. Metra owns the 66 newer parking spaces along Park Avenue on the west side of the tracks, while the City of Harvey is responsible for maintenance.
- Throughout each step of the redevelopment process, the amount of Metra parking at both Harvey Metra Stations (147th and 154th Streets) must, at a minimum, remain at its current level, resulting in no net loss of commuter parking capacity during any time period.
- Most grant dollars, including Metra's, are not available for financing the replacement of commuter parking spaces that are displaced from designated and/or historic commuter parking facilities. Metra only participates

These eight bus routes make connections with most of the other routes serving the south and southwest districts, forming a network that serves the entire south suburban region.

- According to Metra's Fall 2002 Origin-Destination Survey, 5% of surveyed Metra passengers indicated that they take a bus to reach the Harvey Metra Station. While this

arterials. While IDOT has jurisdiction over Park Avenue, Cook County performs regular maintenance of the right-of-way.

Downtown (154th

159th Street left-turn, must wait for an adequate gap in traffic to safely accomplish the turning maneuver. The movements adversely impact all directions of traffic along 159th Street during the morning and evening peak hours.

Accident Analysis

Accident information along 159th Street was obtained from the Illinois Department of Transportation (IDOT) for the most recent available three year period of 2001 to 2003. Accidents were analyzed along 159th Street from Loomis Avenue to Halsted Street. A total of

Table A-5

2005 AM and PM Peak Hour Traffic Volumes
159th Street (at Halsted Street and Park Avenue)



Legend

1000	2005 AM or PM Peak Hour Volume
(1%)	AM or PM Heavy Vehicle %

IDOT Combined Location / Design Report of US Rte. 6

IDOT completed a final Combined Location/Design Report for US Rte 6 (159th Street) from the Tri-State Tollway (I-294) to IL Rte. 1 (Halsted Street) in January, 2000. The study investigated the need for improvement for 159th Street as an important east/west roadway facility following designation as a Strategic Regional Arterial (SRA) by IDOT in 1995. Prior to the completion of the Combined Location/Design Report, IDOT completed a final Bridge Condition Report for the CN/IC viaduct over 159th Street in February, 1999. This report recommended replacement of the current structure to accommodate the proposed geometrics for the 159th Street SRA, a proposed 5-lane cross-section.

159th Street in the study area currently consists of a four-lane undivided cross-section. The existing cross-section is reduced to one lane in each direction east of Park Avenue due to the narrow CN/IC viaduct between Park Avenue and Center Street/West Avenue. The roadway resumes the four-lane undivided cross-section east of Center Street/West Avenue.

Improvements recommended in the IDOT report consist of a five-lane cross-section that includes two through lanes in each direction with a two-way left turn lane. At the 159th Street intersection with Park Avenue, an exclusive westbound to southbound left-turn lane is proposed with storage length modifications to the existing northbound to westbound, southbound to eastbound and eastbound to northbound left-turn lanes. Center Street is proposed to be realigned with West Avenue to eliminate the existing intersection offset. This realignment will improve operations at the intersection(s) and allow for a possible future signal installation when warranted. The intersection is to be widened along Park Avenue and Center Street with proposed exclusive left-turn lanes in each direction. Additionally, a westbound 159th Street to northbound West Avenue right-turn lane is proposed. The proposed geometrics accommodate the heavy percentage of turning semi-tractor trailer trucks. The existing geometric configurations at the intersection of 159th Street with Halsted Street remain with the addition of a southbound Halsted Street to westbound 159th Street right-turn lane and radii modifications to accommodate the semi-tractor trailer truck traffic.

The study included intersection design studies (IDS) for the intersections of US Rt. 6 with Park Avenue, Center Street/West Avenue and Halsted Street. Capacity analyses at the three intersections were completed using 2020 projected traffic volumes and proposed intersection features following methodology outlined in the *Highway Capacity Manual* (HCM). Intersection level of service (LOS) refers to the overall quality of flow at the intersection and represents reasonable ranges in control delay. The LOS ranges from very good (LOS A) to very poor (LOS F) with an LOS C being desirable and LOS D being acceptable The Center Street/West Avenue intersection was analyzed as a stop controlled intersection. The proposed improvements provide the following intersection delays (seconds per vehicle) and corresponding intersection LOS for the signalized intersections. Delays only for the unsignalized intersection at 159th Street and Center Street/West Avenue are also provided. The analyses were completed for the design year 2020 projected traffic volumes.

159th Street & Park Avenue	Delay: 18.9 (AM)	36.0 (PM)
	LOS: C (AM)	D (PM)
159th Street & Center St. /West Ave. (unsignalized intersection)	Delay: 2.3 (AM)	6.0 (PM)
	(eastbound & westbound directions)	
159th Street & Halsted Street	Delay: 18.0 (AM)	30.2 (PM)
	LOS: C (AM)	D (PM)

E. DEMOGRAPHICS AND MARKET POTENTIAL

The following summarizes the salient findings and conclusions of the market analysis prepared by Valerie S. Kretchmer Associates, as discussed in the Station Area Plan. The complete market analysis is available under separate cover.

DEMOGRAPHICS

1.

the City, Harvey’s sales are well below the stor

buyers will prefer a single-family detached house, but could be attracted to a townhome if they can't afford a new detached house.

3. Townhomes priced from $125,000-$150,000 for 3 bedrooms from 1,300-1,800 square feet should be marketable adjacent to the Downtown on the blocks along 154th Street west of Center Avenue. New homes at this price will fill a void in the community. Real estate taxes are high in Harvey, impacting the amount that can be charged for new housing units.
4. It will be important to have enough units built at this location to make a significant impact and create a sense of community. Security will be a concern, but a gated type of development may not achieve the City's long term goal to create a stable and cohesive neighborhood.
5. The market is not likely to support a mid-rise condominium building with or without ground floor retail space in Downtown Harvey within the next five years. The typical Downtown condominium buyer in other communities is an empty nester downsizing from a single family home. The median price of existing homes in Harvey at $90,000 is well below what a new two bedroom condominium is likely to cost. Realtors active in and around Harvey did not view Downtown as a likely location to attract enough younger, childless buyers in the near term.
6. If improvements occur in the Downtown in the next three to five years, there could be an opportunity for a mid-rise condominium building with 20-30 units in five to ten years. However, prices would need to be from the low $100,000s to $150,000 at most depending on unit size, in today's dollars.
7. Mixed-use projects combining retail and residential uses are not likely in the near term as prospective buyers will be more concerned about security in a mixed-use than single-use building due to the configuration of building entrances and garage parking.

F. PRELIMINARY COST ESTIMATES FOR PROPOSED PUBLIC IMPROVEMENTS

Preliminary "order of magnitude" cost estimates for public improvements depicted and discussed within the Harvey Station Area Plan are presented below. These figures are provided as rough estimates of potential costs in 2005 dollars. Streetscape enhancement costs are presented based upon a typical block length of 600 feet and presume improvements to both sides of the street. Roadway reconstruction costs are listed as a separate line item, because in some cases it may be feasible to install streetscape enhancements without significant roadway reconstruction being necessary.

Based upon the total street length the City is considering improving at any given time, the cost factor for a typical 600 foot length should be multiplied as appropriate, with the additional cost per typical intersection included, to arrive at a rough estimate of total project costs. More definitive project cost estimates will need to be developed, based upon a detailed site condition assessment, preliminary design and engineering work, and preliminary specifications of desired materials and finishes.

STREETSCAPE ENHANCEMENTS

Commercial Area (by block or 600 linear feet):

Park Avenue (Option A1 per Figure 9)

Sidewalk/Parkway improvements	$220,000.00
Including demolition, lighting, trees, landscaping, paving, and basic furnishings	
Roadway improvements	$390,000.00
Including demolition, asphalt paving, curb, median, irrigation, landscaping	
Additional enhancements	$15,000.00
Including banners, furnishings, seasonal planting	

Park Avenue

PUBLIC OPEN SPACES